

10/684,826

CEFC

Attorney Docket: 081468-0306289
Client Reference: P-0370.010-US



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

Confirmation Number: 9872

MULDER ET AL.

Patent No.: 6,862,076

Group Art Unit: 2851

Issue Date: March 1, 2005

Examiner: R. FULLER

Title: METHOD OF DETERMINING STRAY RADIATION, LITHOGRAPHIC
PROJECTION APPARATUS

May 23, 2005

REQUEST FOR CERTIFICATE OF CORRECTION

Mail Stop Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate
MAY 26 2005
of Correction

Sir:

Enclosed herewith is a Certificate of Correction for the above-identified patent. The patentees request issuance of said Certificate of Correction.

In a recent review of U.S. Patent No. 6,862,076, the patentees noted an incorrect Greek symbol in claim 9 of the patent. The symbol for lambda (λ) was replaced with the symbol for mu (μ).

In view of the foregoing, the patentees request prompt issuance of a Certificate of Correction. As this omission seems to be a Patent Office error, the patentees submit that no fee is due for issuance of the enclosed Certificate of Correction. In the event that the Patent


06/21/2005 VTOLBERT 00000006 033975 10684826
Sale Ref: 00000006 DAH: 033975 10684826
01 FC:1811 100.00 DA

MULDER ET AL. -- 10/684,826
Client/Matter: 081468-0306289

Office deems that a fee is due for issuance of the Certificate of Correction, said fee may be charged to the undersigned's Deposit Account No. 03-3975 under Order No. 81468-306289.

Respectfully submitted,

PILLSBURY WINTHROP SHAW PITTMAN LLP



E. RICO HERNANDEZ
Reg. No. 47641
Tel. No. 703 905.2088
Fax No. 703.905.2500

ERH/smm
P.O. Box 10500
McLean, VA 22102
(703) 905-2000